D-33013/1/2024-GENERAL ADMIN-MOWR
Government of India
Ministry of Jal Shakti
Department of Water Resources, RD&GR

(General Administration Wing)

Room No. 19-B, Shram Shakti Bhawan New Delhi-110001 Dated: - 19th June, 2024

OFFICE MEMORANDUM

Subject: Implementation of Aadhar Enable Biometric Attendance System (AEBAS) for attendance of all Government employees of the Ministries/Departments/Organizations (MDOs).

The undersigned is directed to forward herewith the DoPT O.M No.1013/13/2023-Pers. Polilcy-A.II dated 15.06.2024 which is self- explanatory in nature.

- 2. In this regard the undersigned is further directed to communicate that all the organizations of the Deptt of WR, RD and GR are requested to ensure that Bio-metric machines are adequately installed at the suitable places of the office premises and are fully operational/functional. Additionally, all employees are compulsorily expected to mark their attendance through these Biometric attendance machines without fail and the same must be monitored regularly at the organizational level.
- 3. The Organizations are also requested to provide a compliance report in this regard to General Admin Section (email: general- mowr@nic.in) of the DoWR, RD and GR positively by 21st of June 2024.

Yours faithfully,

Encl. as above.

(Ashish Kumar Sao)

Under Secretary to the Govt. of India

Tel:- 011-23719816/E-mail:- usga-mowr@nic.in

To,

Heads of all Organizations under D/o WR, RD & GR

आशीष कुमार साव / ASHISH KUMAR SAO अंदर सचिव / Under Specelary जल संसाधन, नदी विकास एवं गंगा सरसाण विभाग Deptt. of Water Resources, River Development and Ganga Rejuvenation जल शक्ति मंत्रालय / Ministry of Jal Shakti भारत सरकार / Govt. of India नई दिल्ली / New Delhi-110001

Copy to:

All Wings/Divisions/Sections of DoWR, RD & GR (Any non-functionality of the biometric machine may be reported to GA section of the Department, Main Sectt).

Copy for information to:-

PPS to Secretary (WR, RD & GR)
PPS to Additional Secretary (WR, RD & GR)
PPS to JS (Admn., IC &GW), (WR, RD & GR)
Sr. PPS to JS (RD,PP & GA) (WR, RD & GR)
PPS to JS&FA, (WR, RD & GR)
DS(G.A), D/o WR, RD & GR.