


No.A.22012/2/2016-Admn(Pt)
Government of India
Ministry of Water Resources, River Development &
Ganga Rejuvenation
(ISO 9001:2008 certified)

Shram Shakti Bhawan, Rafi Marg
New Delhi, dated 20th June, 2016

OFFICE ORDER NO. 481/2016

In partial modification of this Ministry's Office Order No. 411/2015 (No. A.22012/2/2016-Admn[Pt]) dated 2.6.2016, Shri Sanjay Singh Chauhan, Under Secretary (CSL No. 6881) is posted in Central Water Commission w.e.f. 24.5.2016.

2. Shri R.N. Dixit, US (Parl. & RTI) will look after the charge of US (E-III) in addition to his normal duties with immediate effect until further orders.
3. The work relating to RTI matters will henceforth be handled by Shri Arun Kumar, US (Coord) with immediate effect until further orders.
4. This issues with the approval of Competent Authority.


(Narendra Singh)
Under Secretary to the Govt. of India
Tel. No. 23738126

Copy to :-

1. Shri S.S. Chauhan, Under Secretary/ Shri R.N. Dixit, US (Parl & RTI)/ Shri Arun Kumar, US (Coord), M/o WR, RD & GR
2. Central Water Commission (Shri Mahesh Yadav, Under Secretary, E-IX), Sewa Bhawan, R.K. Puram, New Delhi – A copy of DoPT's Order dated 23.5.2016 and this Ministry's Office Order No. 411/2016 (F.No. A.22012/2/2016-Admn[Pt]) dated 2.6.2016 are enclosed. Shri Sanjay Singh Chauhan, US was under 'Compulsory Wait' for 26 days with effect from 28.4.2016 to 23.5.2016 and on CL on 24.5.2016. Pay and Allowances may be paid to him for the above period subject to issue of LPC from AIIMS, Bhopal.
3. Director (E-III & Parl)/ DS (Coord & ID)
4. Cash/ GA/ Vigilance Sections, M/o WR, RD & GR
5. All Wing Heads in the Ministry of Water Resources, RD & GR
6. PPS to Secretary/ PS to SS/ Sr. PPS to AS & MD/ PPS to JS (A)/ PPS to JS(PP)/ PPS to JS & FA/ PPS to JS (RB)/ PPS to JS (Pen. River & Parl), M/o WR, RD & GR
7. All Organizations of the Ministry of Water Resources, RD & GR
8. All Officers/ Sections/Units in the Ministry of Water Resources, RD & GR
9. Personal file (2)/ APAR folder/ Office Order folder
10. NIC Cell – for uploading on the circular page of the intranet.

